	 	 ,	_	 		_	
Reg. No.:							

Question Paper Code: 10392

B.E./B.Tech. DEGREE EXAMINATION, MAY/JUNE 2012.

First Semester

Common to all branches

MA 2111/181101/MA 12/080030001 — MATHEMATICS — I

(Regulation 2008)

Time: Three hours

Maximum: 100 marks

Answer ALL questions.

PART A — $(10 \times 2 = 20 \text{ marks})$

- 1. If 3 and 6 are two eigen values of $A = \begin{pmatrix} 1 & 1 & 3 \\ 1 & 5 & 1 \\ 3 & 1 & 1 \end{pmatrix}$, write down all the eigen values of A^{-1} .
- 2. Write down the quadratic form corresponding to the matrix $\begin{bmatrix} 0 & 5 & -1 \\ 5 & 1 & 6 \\ -1 & 6 & 2 \end{bmatrix}$.
- 3. Find the equation of the tangent plane to the sphere $x^2 + y^2 + z^2 + 2x + 4y 6z 6 = 0$ at (1,2,3).
- 4. Write down the equation of the right circular cone whose vertex is at the origin, semi vertical angle is α and axis is along z-axis.
- 5. For the catenary $y = c \cosh \frac{x}{c}$, find the curvature.
- 6. Find the envelope of the family of circles $(x-\alpha)^2 + y^2 = r^2$, α being the parameter.
- 7. If $u = \frac{x}{y} + \frac{y}{z} + \frac{z}{x}$, show that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} + z \frac{\partial u}{\partial z} = 0$.
- 8. If $u = \frac{y^2}{2x}$, $v = \frac{x^2 + y^2}{2x}$, find $\frac{\partial(u,v)}{\partial(x,y)}$.

- . 9. Evaluate $\int_{0}^{1} \int_{0}^{x^2} (x^2 + y^2) dy dx$.
 - 10. Change the order of integration in $\int_{0}^{a} \int_{x}^{a} f(x,y) dy dx$.

PART B — $(5 \times 16 = 80 \text{ marks})$

- 11. (a) (i) If λ_i for (i=1,2,...,n) are the non-zero eigen values of A, then prove that (1) $k\lambda_i$ are the eigen values of kA, where k being a non-zero scalar; (2) $\frac{1}{\lambda_i}$ are the eigen values of A^{-1} . (6)
 - (ii) Verify Cayley-Hamilton theorem for the matrix $\begin{bmatrix} 2 & 0 & -1 \\ 0 & 2 & 0 \\ -1 & 0 & 2 \end{bmatrix}$ and hence find A^{-1} and A^4 .

Or

- (b) Reduce the quadratic form $x^2 + y^2 + z^2 2xy 2yz 2zx$ to canonical form through an orthogonal transformation. Write down the transformation. (16)
- 12. (a) (i) Find the equation of the sphere having the circle $x^2 + y^2 + z^2 + 10y 4z 8 = 0, x + y + z = 3 \text{ as a great circle.}$ (8)
 - (ii) Find the equation of a right circular cone generated when the straight line 2y + 3z = 6, x = 0 revolves about z-axis. (8)

Or

- (b) (i) Find the two tangent planes to the sphere $x^2 + y^2 + z^2 4x 2y 6z + 5 = 0$, which are parallel to the plane x + 4y + 8z = 0. Find their point of contact. (10)
 - (ii) Find the equation of the right circular cylinder of radius 3 and axis $\frac{x-1}{2} = \frac{y-3}{2} = \frac{z-5}{-1}.$ (6)
- 13. (a) (i) Find the radius of curvature at any point of the cycloid $x = a(\theta + \sin \theta); y = a(1 \cos \theta).$ (8)
 - (ii) Find the circle of curvature at (a/4, a/4) on $\sqrt{x} + \sqrt{y} = \sqrt{a}$. (8)

Or

- (b) (i) Find the evolute of the parabola $y^2 = 4ax$. (8)
 - (ii) Find the envelope of the system of ellipses $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$, where the parameters a and b are connected by the relation ab = 4. (8)
- 14. (a) (i) Transform the equation $z_{xx} + 2z_{xy} + z_{yy} = 0$ by changing the independent variables using u = x y and v = x + y. (8)
 - (ii) Expand $x^2y+3y-2$ in powers of (x-1) and (y+2) upto 3rd degree terms. (8)

Or

- (b) (i) Find the maximum and minimum values of $x^2 xy + y^2 2x + y$. (8)
 - (ii) A rectangular box open at the top, is to have a volume of 32 cc. Find the dimensions of the box, that requires the least material for its construction. (8)
- 15. (a) (i) Change the order of integration $\int_{0}^{1} \int_{x^2}^{2-x} xy dy dx$ and hence evaluate. (8)
 - (ii) Transform the integral into polar coordinates and hence evaluate $\int_{0}^{a} \int_{0}^{\sqrt{a^{2}-x^{2}}} \sqrt{x^{2}+y^{2}} \, dy dx.$ (8)

Or

- (b) (i) Find, by double integration, the area between the two parabolas $3y^2 = 25x$ and $5x^2 = 9y$. (8)
 - (ii) Find the volume of the portion of the cylinder $x^2 + y^2 = 1$ intercepted between the plane x = 0 and the paraboloid $x^2 + y^2 = 4 z$. (8)