Reg. No. :												
------------	--	--	--	--	--	--	--	--	--	--	--	--

H 2426

B.E./B.Tech. DEGREE EXAMINATION, MAY/JUNE 2009.

Second Semester

Mechanical Engineering

ME 132 — THERMODYNAMICS

Time: Three hours Maximum: 100 marks

(Use of thermodynamic tables permitted)

Answer ALL questions.

PART A —
$$(10 \times 2 = 20 \text{ marks})$$

- 1. Write the difference between open and closed systems.
- 2. State 'Zeroth law of thermodynamics'.
- 3. Name the processes in Carnot cycle.
- 4. What is the relationship between COP of the heat pump and refrigerator?
- 5. Define 'Mole fraction'.
- 6. State the laws of perfect gas.
- 7. What is super saturated steam?
- 8. Find the specific volume, enthalpy and entropy of saturated steam at 10 bar.
- 9. What is meant by 'Adiabatic flame temperature'?
- 10. What is the mass of carbon-dioxide from one kg of carbon combustion?

PART B —
$$(5 \times 16 = 80 \text{ marks})$$

11. (a) Determine the heat transfer and its direction for a system in which a perfect gas having molecular weight of 16 is compressed from 101.3 kPa, 20° C to a pressure of 600 kPa following the law $Pv^{1.3} = \text{constant}$. Take specific heat at constant pressure of gas as 1.7 kJ/kgK. (16)

- (b) (i) In a cyclic process, heat transfer are $+14.7 \, kJ$, $-25.2 \, kJ$, $-3.56 \, kJ$ and $+31.5 \, kJ$. What is the network for the cyclic process?
 - (ii) Assume 4.0 kg/s of steam enters a turbine. The inlet of the turbine is 2.5 m higher than the outlet. The inlet velocity is 132 m/s. Outlet velocity is 327 m/s and heat loss is 9.2 kJ/s. The enthalpy at inlet and outlet of the turbine are 3127.4 kJ/kg, 2512 kJ/kg respectively. Determine the power output. (10)
- 12. (a) A reversible heat engine operates between two reservoirs at 827°C and 27°C. Engine drives a Carnot refrigerator maintaining -13°C and rejecting heat to reservoir at 27°C. Heat input to the engine is 2000 kJ and the network available is 300 kJ. How much heat is transferred to refrigerant and total heat rejected to reservoir at 27°C? (16)

Or

- (b) A closed system contains 0.5 kg of air. It expands from 2 bar, 60°C to 1 bar at 40°C. During the expansion it receives 2 kJ of heat from the reservoir at 100°C. Assuming atmospheric conditions as 0.95 bar and 30°C. Calculate the (i) maximum work (ii) work done on atmosphere and (iii) change in availability. (16)
- 13. (a) The critical temperature, pressure and volume of Neon gas is 44.5 K, 27.3 bar, 0.0416 m³/kg.mol. For a reduced pressure and temperature of 2 and 1.3, compressibility factor (z) is 0.7. What are the corresponding specific volume, pressure and temperature if the molecular weight is 20.183? Calculate the reduced volume. (16)

Or

- (b) What are Maxwell relations? Derive the relations. (16)
- 14. (a) Explain the working principle of separating and throttling calorimeter with neat sketch. (16)

Or

(b) The steam initially at a pressure of 15 bar and 250°C expand reversibly and polytropically to 1.5 bar. Find the temperature, work done and change in entropy if the index of expansion is 1.25. (16)

- 15. (a) (i) What are the advantages of liquid fuel over the solid fuels? (6)
 - (ii) Explain the working principle of Orsat apparatus with neat sketch.

Or

(b) Determine the percentage excess air supplied to boiler for buring the coal having following composition on mass basis. $C=0.82;\ H_2=0.05;\ O_2=0.08;\ N_2=0.03;\ S=0.005$ and moisture = 0.015.

Volumetric analysis of dry flue gases shows the following composition:

$$CO_2 = 10\%$$
; $CO = 1\%$; $N_2 = 82\%$; $O_2 = 7\%$. (16)